

LINT TILE

HENRY® ADHESIVES

2023 - 2024 Edition



111 NOTCH LANE WENDEL, PA 15691
P: 800-245-5564 F: 724-446-9252
www.linttile.com



LINT TILE



OUR PARTNER

The W.W. Henry Company is one of the world's largest manufacturers of adhesives for all types of flooring installations. Established in 1933 by Warner W. Henry, Sr., HENRY was initially developed to manufacture roof coatings, roof mastics and driveway sealers. By the 1950's W.W. Henry was the largest flooring adhesive manufacturer in the U.S. W. W. HENRY pioneered the use of "emulsion" (latex-based) adhesives, expanding from Linoleum paste type products to multi-purpose, cove base adhesive and acoustical ceiling tile adhesives. In 1964, the company introduced HENRY 356, a multi-purpose latex-based flooring adhesive. HENRY 356 became the most popular flooring adhesive in the country and remains the best known multi-purpose flooring adhesive in the industry today. In 1986, Armstrong World Industries purchased the W.W. Henry Flooring Adhesives Business from Warner Henry. During the 1990's, WWH was the first adhesive manufacturer to switch from solvent-based adhesives to solvent-free adhesives. In 2000, the W.W. Henry Company became a part of ARDEX Americas, and today HENRY is one of the pillars of the ARDEX Americas brands. The fit was a natural one, as both companies share a culture of innovation, excellence and customer service.



HENRY®

***LINT TILE***

Table of Contents



MULTI-PURPOSE ADHESIVES.....	3-4
VCT ADHESIVES.....	5
VINYL SHEET TILE & PLANK ADHESIVES.....	6-7
CARPET ADHESIVE.....	8
OUTDOOR CARPET ADHESIVE.....	9
CARPET ACCESSORIES ADHESIVE.....	10
SOLID WOOD PARQUET & ENGINEERED HARDWOOD ADHESIVES.....	11
COVE BASE ADHESIVES.....	12
CONSTRUCTION & SPECIALTY ADHESIVES.....	13-14



MULTIPURPOSE ADHESIVES



HENRY® 176 BULLDOG™

Vendor Item #176 BULLDOG - Style #AR-ADH 176-4GAL,
AR-ADH 176-1GAL

Multipurpose Flooring Adhesive

HENRY® 176 is a multipurpose adhesive designed for the installation of commercial carpet in light traffic areas like property management and tenant improvement areas. It can also be used for the installation of residential felt-backed rotovinyl sheet flooring.

- Good initial grab
- Short open time
- Ample working time
- 1-year limited warranty

4 GAL 1PC/CTN, ALSO AVAILABLE 1 GAL 4PCS/CTN

HENRY® 256

Vendor Item #256 - Style #AR-ADH 256-4GAL

Dual Purpose Carpet and Sheet Flooring Adhesive

HENRY® 256 is an installer grade dual purpose adhesive that is excellent for light to moderate traffic areas.

- Aggressive early grab
- Short open time
- Ample working time
- Moisture and alkali resistant
- Antimicrobial product protection
- Easy to use, easy to trowel



4 GAL 1PC/CTN

Premium Commercial Multipurpose Carpet and Sheet Vinyl Adhesive



1 GAL 4 PCS/CTN

HENRY® 356C

Vendor Item #356C - Style #AR-ADH 356C-1GAL

HENRY® 356C MultiPro™ is a premium, commercial-grade, multipurpose adhesive excellent for commercial and residential installations. HENRY 356C has quick initial grab and ample working time and can be used for a wide variety of flooring applications.

- Extremely versatile
- Aggressive early grab
- Excellent bond integrity
- Non-staining
- Moisture & alkali resistant
- Solvent-free & low odor
- Antimicrobial product protection

HENRY® 630 PEACHPRO™

Vendor Item #630 - Style #AR-ADH 630-4GAL

- Trowel, brush or roll-on
- Releasable or permanent installations
- Plasticizer migration resistant
- Excellent grab
- Non-flammable
- Solvent free
- Highly versatile - use with a variety of carpet tiles and underlayments
- Use as wet-set or pressure sensitive adhesive



Pressure Sensitive Flooring Adhesive

HENRY® 630 PeachPro™ is a premium, pressure-sensitive adhesive with releasable bonding properties for carpet tile and carpet cushion-to-substrate installations. HENRY 630 can be used as a pressure-sensitive or a wet-set adhesive.

4 GAL 1 PC/CTN



VCT ADHESIVES



HENRY® 130

Vendor Item #130 RAPID - Style #AR-ADH 130-4GAL,
#AR-ADH 130-1GAL

Thin Spread Floor Tile Adhesive

HENRY® 130 is a thin-spread adhesive designed to install vinyl composition tile (VCT) in commercial installations.

- 18-hour working time
- Ideal for large commercial installations
- Can be used over "cutback" adhesive
- Moisture and alkali resistant
- Allows installation on all grade levels of concrete
- Excellent trowelability
- Easy to use, easy to trowel

4 GAL 1 PC/CTN, 1 GAL 4PC/CTN

HENRY® 430 CLEARPRO™

Vendor Item #430- Style #AR-ADH 430-4GAL

Clear VCT Floor Adhesive

HENRY® 430 ClearPro™ is a premium clear thin-spread adhesive designed to install vinyl composition tile (VCT) in residential and commercial installations. HENRY® 430 has up to a 24 hour working time, dries clear, and has excellent initial grab and ultimate bond strength.

- 24-hour working time
- Excellent initial grab
- Alkali and moisture resistant up to 95% RH
- Can be used over "cutback" adhesive residue
- Dries clear - chalk lines show through
- Outstanding coverage - up to 1,400 sq. ft.
- Solvent free
- Antimicrobial product protection



4 GAL 1 PC/CTN

VINYL SHEET TILE & PLANK ADHESIVES



4 GAL 1PC/CTN, 1 GAL 4PC/CTN

HENRY® 422 FORTIFY

Vendor Item #422 Fortify - Style #AR-ADH 422-4GAL,
#AR-ADH 422-1GAL

Wet-set Vinyl-backed Flooring Adhesive

HENRY® 422 Fortify is a premium, high-strength adhesive with synthetic fibers for the permanent installation of vinyl-backed flooring. As a wet-set adhesive, HENRY 422 Fortify generates high, ultimate bond strength, and also builds strength quickly for challenging vinyl installations while preventing slippage of the flooring and minimizing adhesive displacement. Its versatility and overall performance make it suitable for all formats and sizes of vinyl-backed flooring, including vinyl tile, plank and vinyl-backed sheet

- Synthetic fiber-reinforced
- Wet-set/hard-set
- Reduced LVT and LVP slippage during install
- Reduced adhesive displacement (knee marks)
- Use with any vinyl-backed flooring goods (LVT and LVP, homogeneous, heterogeneous)

HENRY® 650R

Vendor Item #650 R - Style #AR-ADH 650R-4GAL,
#AR-ADH 650R-1GAL

- Delivers a truly releasable bond in the upward peel direction, while at the same time providing heavy commercial traffic-rated bonding strength in the lateral shear direction
- 99% RH moisture resistant*
- Ideal for frequently renovated commercial and residential spaces
- Excellent resistance against plasticizer migration
- Unlimited working time available if needed



Releasable Bond Pressure Sensitive Adhesive

A solvent-free, acrylic polymer-based, releasable flooring adhesive. When installed in a pressure-sensitive dry-to-the-touch state, the floor covering bond will be releasable and the adhesive will remain tacky and capable of providing re-bond capability throughout its service life.



4 GAL 1PC/CTN, 1 GAL 4PC/CTN

High RH Vinyl Flooring Adhesive



4 GAL 1PC/CTN, 1 GAL 4PC/CTN

HENRY® 695

Vendor Item #695 - Style #AR-ADH 695-4GAL,
#AR-ADH 695-1GAL

A solvent-free acrylic polymer-based adhesive. Its excellent resistance against damage from vinyl plasticizer migration make it ideal for LVT and other types of vinyl-backed flooring. Sheet flooring installers may choose to lay in and re-position the floor covering while the adhesive remains in its initial wet state, while the installers of vinyl tiles and planks often prefer to lay in for up to 4 hours while the adhesive is in a dry-to-the-touch (pressure-sensitive) state. Its overall versatility and outstanding bond strength make HENRY® 695 a leading choice for both commercial and residential environments.

- Designed for installing LVT as well as vinyl sheet goods.
- 99% RH moisture resistant*
- May be used in a dry-to-the-touch (pressure-sensitive) state, or as a wet-set.
- Excellent resistance against plasticizer migration
- 4 hours of Working Time available if needed

HENRY® 647

Vendor Item #647 PlumPro- Style #AR-ADH 647-4GAL,
#AR-ADH 647-1GAL

A solvent-free acrylic polymer-based adhesive designed for fast-track installations in both commercial and residential settings. Roller-applied, this adhesive achieves a dry-to-the-touch state (ready to receive flooring), in as soon as 10 minutes.

- Ideal for ultra-fast-track installations of LVT in both commercial and residential settings, see "Use for" section for complete listing of all recommended vinyl flooring types
- 99% RH moisture resistant*
- Dry-to-the-touch (ready to receive flooring) in mere minutes
- Apply with roller from a standing position
- Flooring may be laid in for up to 8 hours if needed
- Traffic the new floor immediately
- Outstanding coverage 1,200 - 1,600 sq. ft. per 4 gal. pail
- Eliminate adhesive trowel ridge telegraphing/show through

Fast-Track, Roll-Apply Vinyl Flooring Adhesive



4 GAL 1PC/CTN, 1 GAL 4PC/CTN

CARPET ADHESIVES



4 GAL 1PC/CTN

HENRY® 170 'THE GENERAL'

Vendor Item #170 'THE GENERAL'- Style #AR-ADH 170-4GAL

HENRY® 170 'The General' is a multipurpose adhesive designed for the installation of commercial carpet in light traffic areas like property management and tenant improvement areas. It can also be used for the installation of residential felt-backed sheet flooring.

- Extremely quick webbing/leg development
- Installs Action Bac® and other common carpet backings
- Installs felt-back sheet vinyl



HENRY® 351 FASTPRO

Vendor Item #351 FastPro- Style #AR-ADH 351-4GAL

HENRY® 351 is a professional-grade adhesive for the installation of most commercial and residential carpet. HENRY 351's early aggressive grab effectively holds down edge curl, and its bond integrity makes it an excellent choice for moderate to heavy traffic areas.

- Versatile – for use with most carpet backings
- Aggressive early grab reduces edge curl
- Short open time
- Develops early bond
- Ample working time
- Can install immediately
- Strong rebond
- Excellent bond integrity for moderate to heavy traffic areas
- Excellent trowelability
- Moisture & alkali resistant
- Solvent free and low odor



Fast Grab, Pro Grade Carpet Adhesive

4 GAL 1PC/CTN



OUTDOOR CARPET ADHESIVES

HENRY® 663

Vendor Item #663- Style #AR-ADH 663-4GAL

Outdoor Carpet Adhesive

HENRY® 663 Outdoor Carpet Adhesive is a "best-in-class" latex adhesive for exterior installations of indoor/outdoor carpet.

- Water-resistant after 5 days
- Strong initial grab helps reduce edge curl
- No open time required
- For immediate installations
- Long working time
- For large installations
- Excellent bond integrity
- For permanent installations
- Excellent trowelability
- Easy to use, easy to trowel



4 GAL 1PC/CTN

Outdoor Carpet Adhesive

The Professional's Formula for Success™ when installing carpet outdoors. HENRY® 263 is waterproof within two hours after installation and can be used in wide temperature ranges.

- Our best outdoor carpet adhesive
- Waterproof after 2 hours
- For all weather use
- Ample working time
- Excellent initial grab reduces edge curl
- No open time required - install immediately
- Excellent long-term bond integrity
- Great for patios, boats and decks
- Outdoor use only
- Excellent trowelability

HENRY® 263 WEATHER PRO

Vendor Item #263 WeatherPro- Style #AR-ADH 263-4GAL



4 GAL 1PC/CTN

CARPET ACCESSORIES ADHESIVE



1 GAL 4PCS/CTN

HENRY® 377

Vendor Item #377- Style #AR-ADH 377-1GAL

Carpet Pad Adhesive

A premium, installer-grade adhesive for the installation of all residential carpet padding, including jute, hair, rubber, urethane, or rebond.

- Low odor
- Low VOC
- No reportable hazardous substances (per OSHA 29 FR 1910.1200)
- Nonflammable
- No organic solvents

HENRY® 248 SEAM PRO

Vendor Item #248- Style #AR-ADH 248-1PT

Carpet Seam Adhesive

HENRY® 248 SeamPro™ Carpet Seam Adhesive is a high-strength, versatile carpet seam adhesive designed for all carpet backings, including vinyl.

- Extremely versatile: for all carpet backings, including vinyl
- High tensile strength: seams will not pull apart
- Dries clear: transparent seams
- Easy cleanup: cleans up with water



1 PINT 12/CTN

WOOD PARQUET & ENGINEERED HARDWOOD ADHESIVES

HENRY® 971 EZ PLUS+

Vendor Item #971 EZ PLUS+- Style #AR-ADH 971-4GAL

Moisture-Cured Urethane Wood Flooring Adhesive

A very easy to trowel, one-part, moisture-cured urethane adhesive designed for excellent strength development. Plus+ the ability to be used as one-coat protection against flooring damage from harmful concrete moisture vapor emissions. With proper notched trowel selection, calcium chloride or in-situ probe (RH) concrete testing, is not necessary.

- For engineered and solid wood flooring planks & recycled-rubber underlayment or cork underlayment
- Up to 100% RH* moisture resistant, depending on selected trowel-notch
- One-coat application, that trowels more easily than other urethane adhesives
- Non-slump formula with excellent strength development
- For above-, on-, and below- grade installations



4 GAL 1PC/CTN

Acrylic Urethane Wood Flooring Adhesive

HENRY® 1171N SureLock is a high-solids, acrylic-urethane adhesive used for almost all types of interior wood flooring that are recommended for glue-down installations. HENRY 1171N is extremely moisture resistant and has excellent ultimate bond strength while maintaining the elongation characteristics necessary to allow for some wood movement.

- High solids Acrylic-Urethane
- Excellent initial grab
- Fast strength development
- High ultimate bond strength & elongation
- Enhanced moisture & alkali resistance
- Anti-microbial product protection

HENRY® 1171N SURE LOCK

Vendor Item #1171N SureLock- Style #AR-ADH 1171-4GAL



4 GAL 1PC/CTN

COVE BASE ADHESIVES

HENRY® 440

Vendor Item #440 Cove Base- Style #AR-ADH 440-4GAL,
#AR-ADH 440-1GAL, #AR-ADH 440-30OZ

Cove Base Adhesive

HENRY® 440 Cove Base Adhesive is a high-performance wet-set adhesive for installing rubber and vinyl cove base.

- Aggressive initial grab
- No open time required
- Plasticizer migration resistant
- Easy cleanup with water
- Easy to use, easy to trowel
- Zero VOC



4 GAL 1PC/CTN, 1 GAL 4PC/CTN, 30 OZ 12PC/CTN

HENRY® 595

Vendor Item #595- Style #AR-ADH 595-4GAL,
#AR-ADH 595-1GAL, #AR-ADH 595-30OZ

Cove Base Adhesive

HENRY® 595 Cove Base Adhesive is a high-performance, solvent-free, white adhesive used in the installation of rubber, vinyl and carpet cove base.

- White in color
- Aggressive grab - prevents slip during installation
- No open time required
- Excellent wet strength
- Plasticizer migration resistant
- Easy cleanup with water
- Excellent trowelability
- Solvent free



4 GAL 1PC/CTN, 1 GAL 4PC/CTN, 30 OZ 12PC/CTN

CONSTRUCTION & SPECIALTY ADHESIVES

HENRY® 237 ACOUSTIGUM

Vendor Item #237 AcoustiGum- Style #AR-ADH 237-4GAL, #AR-ADH 237-1GAL

Acoustical Ceiling Tile Adhesive

- Fast initial grab
- 30-minute working time
- Nonflammable
- Low odor



4 GAL 1PC/CTN, 1 GAL 4PC/CTN

HENRY® 444 FRP

Vendor Item #444 FRP- Style #AR-ADH 444-FRP

FRP Panel Adhesive

- High Strength
- Fast setting
- Moisture resistant
- Nonflammable



4 GAL 1PC/CTN

HENRY® 473 GRIP TITE

Vendor Item #473 Grip Tite- Style #AR-ADH 473-1GAL, #AR-ADH 473-1QT

General Purpose Contact Adhesive

- Bonds instantly
- Easy to use – brush or roll on
- Use on many surfaces
- Moisture-resistant



1 GAL 4 PCS/CTN, 1 QT 12PCS/CTN

HENRY® REPAIR CENTER

Vendor Item #REPAIR CENTER

HENRY® FLOOR REPAIR CENTER

Simply spread adhesive, leave open for 10-15 minutes (or until tacky) and replace the loose flooring and you're done!



- Vinyl/linoleum sheet
- Indoor carpet
- Vinyl tile
- Outdoor carpet
- Wall base
- Ceramic tile

6-6 OZ BOTTLES



3.5 GAL, 1 GAL, 1 QT

HENRY® 314 READY SET™

Vendor Item #314 Ready Set

Premixed Mastic Adhesive

- Use for setting porcelain, quarry, stone, ceramic & mosaic tile, walls, floors and counter tops
- Ready to use – premixed for easy installation
- Grout in 24 hours
- Fast initial grab
- No open time required
- Versatile
- Good sag resistance
- Moisture resistant
- Installs tiles up to 12"x12"

HENRY® 317

Vendor Item #317- Style #AR-ADH 317-4GAL

Multipurpose Construction Adhesive

- Strong early grab
- Fast setting
- High bond strength
- Moisture resistant
- Non-flammable
- Cleans up easily with water

A premium, installer-grade multipurpose adhesive for bonding a wide range of commercial and residential construction materials.



4 GAL, ALSO AVAILABLE 30 OZ CARTRIDGE



2- 1/2 GALS/UNIT

HENRY® 452

Vendor Item #452- Style #AR-ADH 452-1GAL

General Purpose Epoxy Flooring Adhesive (Parts A & B)

- No open time, for quicker installation
- Excellent bond integrity ensures long-term
- Performance
- Non-flammable
- Moisture and alkali resistant
- Allows installation on all grade levels of concrete





LINT TILE

111 NOTCH LANE WENDEL, PA 15691
P: 800-245-5564 F: 724-446-9252
www.linttile.com